

**SAFETY
GLOVES
2022 NEW
COLLECTION**

D
Z
A
L
Z
E
E
R
G

GREENLAND was established in 2004. We are specialized in high quality workwear, outdoor leisure garments, rainwear, safety gloves and other accessories.

Our gloves factory owns 20,000 square meters working area and 7 production lines with more than 100 employees and producing over 4.5 million dozens of various high quality safety gloves.

Our gloves factory is audited by BSCI and ISO9001:2015. Also we passed the inspection of some clients like BUNZL, etc. Function performance is the essential point of safety gloves. Our gloves are produced under CE, EN420, EN388 and other special industry standards.

Featured products:

Material: Nitrile Gloves, Latex Gloves, PU Coated Gloves, PVC Gloves.

Function: General Use Gloves, Cold Use Gloves, Anti-Cut Gloves, Chemical Resistant Gloves, Garden Gloves.

Industries: Petrochemicals, Chemical, Fishing, Shipping, Manufacturing, Mining, Construction, etc.

Selling is not our only aim. All we want is helping clients to achieve long-term development. So besides competitive price and on-time delivery, we also focus on the added value as below:

- Strict quality control.
- Frequent new designs & trend information.
- Fast & free samples.
- Unique solution for customized budget.
- Warehouse storage.
- Special QTY. size & pattern service.

“Improve ourselves, make you better!” is our corporate values.


GREENLAND, your most reliable and sustainable modern workwear partner.



CE marking

Performance of GREENLAND gloves are assessed according to the European standards. They are symbolized by pictograms sometimes with figures representing their levels of performances.

EN420 General requirements for protective gloves




This pictogram indicates that the user has to consult the instructions for use. EN420 lays out the general requirements of most types of protective gloves including:

- Ergonomy construction (neutrality of pH, amount of detectable CrVI and no allergenic incorporated substances), innocuousness and comfort (size), dexterity, water vapour transmission and abrasion.
- If requested electrostatic properties must be measured according to the tests of the prEN 1149-1,-2 or 3. Pictograms shall not be used and specific information on lab test conditions must be added.
- Indication of the levels of performances: 1: minimum, 2: good, 3: very good, 4: and more: excellent, 0: does not offer protection, X: performance not measured
- Information on using instructions and levels of performance according to the standards described hereafter.

Selection of the glove's size according to the hand length and circumference.

Glove's size	6	7	8	9	10	11
Minimal length (mm)	220	230	240	250	260	270
Hand Circumference (mm)	152	178	203	229	254	279
Hand length (mm)	160	171	182	192	204	215

EN388- Mechanical protection



Performance levels	1	2	3	4	5
a. Abrasion resistance	100	500	2000	8000	n/a
b. Blade cut resistance	1.2	2.5	5.0	10.0	20.0
c. Tear resistance	10	25	50	75	n/a
d. Puncture resistance	20	60	100	150	n/a

Micro-organisms



Performance levels	1	2	3
AQL	<4.0	<1.5	<0.65

Chemical protection



This pictogram is used for liquid proof gloves that have a breakthrough time > 30 min, for at least 3 chemicals from this list.

- A. Methanol
- B. Acetone
- C. Acetonitrile
- D. Dichloromethane
- E. Carbon disulphide
- F. Toluene
- G. Diethylamine
- H. Tetrahydrofuran
- I. Ethyl acetate
- J. n-Heptane
- K. Sodium hydroxide 40%
- L. Sulphuric acid 96%

Performance levels	0	1	2	3	4	5	6
Minutes	≤ 10	> 10	> 30	> 60	> 120	> 240	> 480

Chemical protection



This pictogram is used for liquid proof gloves that don't meet the above requirement.

EN407-Heat protection



Performance levels	1	2	3	4
a. Burning behaviors				
after flare time	≤ 20 s	≤ 10 s	≤ 3 s	≤ 2 s
after glow time	---	≤ 120 s	≤ 25 s	≤ 5 s
b. contact heat				
contact temperature	100°C	250°C	350°C	400°C
threshold time	≥ 15 s	≥ 15 s	≥ 15 s	≥ 15 s
c. convective heat (heat transfer delay)	≥ 4 s	≥ 7 s	≥ 10 s	≥ 18 s
d. radiant heat (heat transfer delay)	≥ 7 s	≥ 20 s	≥ 50 s	≥ 95 s

En511-Cold protection



performance levels	0	1	2	3	4
a. Convective cold, Thermal insulation ITR in m² C/W	ITR < 0.10	0.10 ≤ ITR < 0.15	0.15 ≤ ITR < 0.22	0.22 ≤ ITR < 0.30	0.30 ≤ ITR
b. Contact cold, Thermal resistance R in m² C/W	R < 0.025	0.025 ≤ R < 0.05	0.050 ≤ R < 0.100	0.100 ≤ R < 0.150	0.150 ≤ R
c. Water penetration test	Fail	Pass	n/a	n/a	n/a



PRODUCTION WORKSHOP

- 20,000 square meters of manufacturing area.
- More than 100 machines.
- Fully Automatic Assembly Line.
- Own gloves laboratory.
- 4.5 million dozens of safety gloves per year.



General Use Nitrile Foam Gloves



ITEM NO: DQB608B

Description: 13gauge polyester liner with breathable nitrile foam coated on palm and fingers gloves
Size: 7/8/9/10/11"



ITEM NO: DQU608B-3/4

Description: 13gauge polyester liner with unbreathable nitrile foam coated, 3/4 dipped gloves
Size: 7/8/9/10/11"



ITEM NO: DQB608B-15

Description: 15gauge nylon & lycra liner with micro foam nitrile coated on palm and fingers gloves
Size: 7/8/9/10/11"



ITEM NO: DQB608BD

Description: 15gauge nylon & lycra liner with micro foam nitrile coated and pvc dotted on palm and fingers gloves
Size: 7/8/9/10/11"



ITEM NO: DQ608B

Description: 13gauge nylon liner with smooth nitrile coated on palm and finger gloves
Size: 7/8/9/10/11"



ITEM NO: DQ608B-3/4

Description: 13gauge nylon liner with smooth nitrile coated, 3/4 dipped gloves
Size: 7/8/9/10/11"



ITEM NO: DQB608BG

Description: 15gauge nylon & lycra liner with nitrile foam coated, dimpled grain on palm gloves
Size: 7/8/9/10/11"



ITEM NO: DQ608B-U3

Description: 13gauge U3 nylon liner with smooth nitrile coated on palm and finger gloves
Size: 7/8/9/10/11"



ITEM NO: DQ608B-18

Description: 18gauge nylon liner with smooth nitrile coated on palm and finger gloves
Size: 7/8/9/10/11"





■ Nitrile Coated Gloves

Feature:

- Offers excellent abrasion resistance
 - Highly flexible with optimum dexterity.
 - Good grip and low tempreture resistance
- Typically Used For**
- Industrial work • warehouse work
 - Component Handling •Hardware tools
 - Construction•Plumbing•Mechanical Work
 - Mines•Auto assembly



■ Open Cuff Nitrile Gloves

ITEM NO: DQ600

Description: Yellow nitrile full coated, Smooth finished Interlock liner, Knit wrist gloves



ITEM NO: DQ600B

Description: Yellow nitrile coated, Smooth finished Interlock liner back open, Knit wrist gloves



ITEM NO: DQ621

Description: Blue nitrile full coated, high quality Smooth finished, jersey liner, safety cuff gloves



ITEM NO: DQ621B

Description: Blue nitrile coated, high quality Smooth finished, jersey liner, back open safety cuff gloves



ITEM NO: DQ610

Description: Nitrile coated, Chemical resistance gloves, Oil resistance great grapping. Length: 27cm/30cm



ITEM NO: DQ221

Description: towel liner on palm, Safety cuff gloves

ITEM NO: DQ201

Description: towel liner on palm, knit wrist gloves



ITEM NO: DQ601

Description: Blue nitrile full coated, Smooth finished, jersey liner, knit wrist gloves



ITEM NO: DQ601B

Description: Blue nitrile coated, Smooth finished, jersey liner, back open, knit wrist gloves



ITEM NO: DQ401

Description: Blue nitrile sandy full coated, jersey liner, knit wrist gloves



ITEM NO: DQ421

Description: Blue nitrile sandy full coated, jersey liner, safety cuff gloves





GENERAL USE LATEX GLOVES

Feature:
Durable lightweight glove

- Offers excellent abrasion resistance
- Seamless breathable liner for comfort
- Highly flexible with optimum dexterity.
- Dry and wet grip

Typically Used For

- Industrial work • warehouse work • Component Handling
- Hardware tools •Light Engineering Work
- Construction•Plumbing•Inspection•Auto assembly


ITEM NO:LA408B-S

Description: 15gauge nylon liner with Latex sandy coated on palm and fingertips gloves


General Use Latex Coated Gloves

ITEM NO:LA508B

Description: 13gauge nylon liner with crinkle Latex coated on palm and fingertips gloves
Size: 7/8/9/10/11"


ITEM NO:LA508B-3/4

Description: 13gauge nylon liner with crinkle Latex coated, 3/4 dipped gloves
Size: 7/8/9/10/11"


General Use Latex Sandy Coated Gloves

ITEM NO:LA508

Description: 13gauge nylon liner with full latex coated gloves
Size: 7/8/9/10/11"


ITEM NO:LA608B-S

Description: 13gauge nylon liner with Latex sandy coated on palm and fingertips gloves
Size: 7/8/9/10/11"


General Use Latex Foam Coated Gloves

ITEM NO:LA608B

Description: 13 gauge nylon liner with latex foam coated on palm and finger gloves
Size: 7/8/9/10/11"


ITEM NO:LA608B-3/4

Description: 13gauge nylon liner with Latex foam coated, 3/4dipped gloves
Size: 7/8/9/10/11"





GENERAL USE LATEX COATED GLOVES

Feature:

- Offers excellent abrasion resistance
- Highly flexible with optimum dexterity.

Typically Used For

- Mines• Industrial work • Hardware tools
- Construction•Plumbing•Mechanical Work

■ General Use Latex Coated Gloves



ITEM NO:LA501

Description:Yellow crinkle latex full coated , jersey liner, knit wrist gloves



ITEM NO:LA501B

Description:Yellow crinkle latex coated , jersey liner, back open, knit wrist gloves




ITEM NO:LA50W

Description:Yellow crinkle latex full coated, Woven liner, Knit wrist gloves



ITEM NO:LA50WB

Description:Yellow crinkle latex coated, Woven liner, back open, Knit wrist gloves



ITEM NO:LA500B

Description:Green crinkle latex coated, interlock liner, back open, Knit wrist gloves



ITEM NO:LA52WB

Description:Yellow crinkle latex coated ,Woven liner,Back open,Safety cuff gloves



■ Heavy Duty Fully Coated Latex Gloves



ITEM NO:LA521

Description:Yellow crinkle latex full coated, Jersey liner, safety cuff gloves



ITEM NO:LA521B

Description:Yellow crinkle latex coated, Jersey liner, back open, safety cuff gloves



ITEM NO:LA511

Description:Yellow crinkle latex full coated, jersey liner, gauntlet gloves
Length:27cm/30cm/35cm



ITEM NO:LA510

Description:Yellow crinkle latex full coated, interlock liner, gauntlet gloves
Length:27cm/30cm/35cm





General Use PU Coated Gloves

Feature:

- Polyurethane palm coating offers good abrasion and tear resistance
- Seamless breathable liner for comfort
- Tight close fitting for maximum dexterity
- Elasticated knit wrist ensures a secure fit

Typically Used For

- Electronics •Component Handling •General Assembly
- Light Engineering •WorkPlumbing•Mechanical Work
- Inspection•Warehouse work



ITEM NO:PU608B

Description:13gauge nylon liner with PU coated on palm and fingers gloves, Smooth finished
Size:6/7/8/9/10/11"



ITEM NO:PU608B-18

Description:18gauge nylon liner with PU Coated on palm gloves
Size:6/7/8/9/10/11"



ITEM NO:PUW608B

Description:15gauge nylon& lycra liner with water PU coated on palm and fingers gloves
Size:6/7/8/9/10/11"



ITEM NO:PU608BT

Description:13gauge carbon fiber liner with PU coated on palm and fingers gloves
Size:6/7/8/9/10/11"



ITEM NO:PU608BF

Description:13gauge nylon liner with PU coated on fingers gloves
Size:6/7/8/9/10/11"



GENERAL USE ECONOMICAL LATEX GLOVES



GENERAL USE GRIP GLOVES

- Feature:**
- Durable lightweight glove
 - Elastic and comfortable
 - Breathable liner for comfort
 - Specially for low -temperature environments
- Typically Used For**
- Construction • Component Handling
 - warehouse work • auto assembly • Plumbing
 - Mechanical Work • hardware tools


Industrial Black Natural Rubber



ITEM NO: RU 515-Rough palm rolled
Description: Embossed diamond grip on palm and finger rolled cuff Individual polybag per pair

ITEM NO: RU 715-smooth palm
Description: Embossed diamond grip on palm and finger rolled cuff Individual polybag per pair

ITEM NO: RU615



ITEM NO: PVDC7-1

Description: 7 gauge natural T/C knitted with pvc dotted on palm, elastic cuff gloves




ITEM NO: PVDC7-2

Description: 7 gauge natural T/C knitted with both sides pvc dotted elastic cuff gloves



ITEM NO: LA50B7-J

Description: 7 Gauge seamless white Knitted T/C liner with Solid latex coated on palm, Elastic cuff gloves



ITEM NO: CK1001

Description: 7 gauge natural T/C knitted cotton Elastic cuff gloves



ITEM NO: CK1003

Description: 10 gauge white nylon knitted gloves



■ **Timberland Pro Extra-grip Glove**



ITEM NO:MC1000
Description:13gauge nylon liner with nitrile sandy coated on palm and finger,back with TPR impact gloves



ITEM NO:MC1001
Description:13gauge HPPE liner with nitrile foam coated on palm and finger, back with TPR impact gloves
Cutting grade:3/5



ITEM NO :MC1003
Description : 13 gauge HPPE liner with Nitrile Sandy Finish coated on palm and fingers, back with TPR impact gloves



ITEM NO :MC1004
Description : 13 gauge HPPE+Steel fiber mixed liner with Nitrile Sandy Finish coated on palm and fingers, back with TPR impact gloves



GENERAL USE ANTI-IMPACT GLOVES

Mechanics & Technology

Feature:

- Anti-impact and abrasion resistance
- Environmental and non-pollution
- Anti-impact suitable for construction and vibration operating lawn mower,electric drill and saw

Typically Used For

- Industrial work • warehouse work• Component Handling
- Hardware tools •Light Engineering Work
- Construction•Plumbing•Mechanical Work •Inspection•Auto assembly



ITEM NO :MCDQ621
Description : Blue nitrile fully coated, smooth finished, jersey liner, safety cuff ;back with TPR impact gloves



ITEM NO :MCPV415
Description : 100% cotton seamless lined,PVC double dipped sandy finish glove , back with TPR impact gloves



ITEM NO:MC1002
Description:13 gauge nylon liner with smooth nitrile 3/4 coated and nitrile sandy palm coated, back with TPR Anti-impact gloves



ITEM NO: MC1008
Description: 13 gauge HPPE+Glass Fiber mixed with Nitrile Sandy coated on palm and fingers, back with TPR impact gloves.





VIZ PF INSULATOR GLOVE

- Feature:**
- Winter Use Durable lightweight glove
 - Specially for low -temperature environments
 - Elastic and comfortable
 - Offers excellent abrasion resistance
 - Excellent breathability and good grip

- Typically Used For**
- Industrial work • warehouse work • Component Handling
 - Hardware tools • Light Engineering Work • Construction
 - Plumbing • Mechanical Work • Inspection • Auto assembly



ITEM NO:LA5091
Description: Heavy thermal lined , 7gauge acrylic terry liner with crinkle latex coated gloves



ITEM NO:LA5092
Description: Heavy thermal lined , 7gauge acrylic terry liner with crinkle latex coated on Palm & Thumb gloves



ITEM NO:LA5093
Description: Heavy thermal lined , 7gauge acrylic terry liner with crinkle latex coated, 3/4 dipped gloves



ITEM NO:LA5094
Description: Heavy thermal lined , 10gauge acrylic brush liner with crinkle latex coated on palm and finger gloves



ITEM NO:LA5095
Description: Heavy thermal lined, 7gauge acrylic terry liner with crinkle latex full coated gloves



ITEM NO:LA5096
Description: 13 gauge nylon +7gauge acrylic terry liner with latex foam coated on palm and finger gloves



ITEM NO:NR5091
Description: 13 gauge nylon+7 gauge acrylic terry liner with Nitrile Foam 3/4 coated gloves



ITEM NO:NR5092
Description: 13 gauge nylon+7 gauge acrylic terry liner Nitrile double dipped, Nitrile smooth fully dipped+Nitrile sandy finish 3/4 dipped gloves





WINTER HI-VIZ GLOVES

Feature:

- Winter Use Durable lightweight glove
- Specially for low -temperature environments
- Offers excellent abrasion resistance

Typically Used For

- Industrial work • warehouse work• Component Handling
- Hardware tools •Light Engineering Work•Construction
- Plumbing•Mechanical Work •Inspection•Auto assembly



ITEM NO:PV 8045
Description:Smooth finish
ITEM NO:PV 8045R
Description:Sandy finish



ITEM NO:PV 8145
Description:Smooth finish
ITEM NO:PV 8145R
Description:Sandy finish
Length: 27/30/35cm



ITEM NO:PV 8245
Description:Smooth finish
ITEM NO:PV 8245R
Description:Sandy finish



Feature:

- Winter Use Durable lightweight glove
- Specially for low -temperature environments
- Offers excellent abrasion resistance

Typically Used For

- Low temperture • Industrial work • warehouse work• Component Handling
- Construction •Plumbing•Mechanical Work •Auto assembly

■ Cold Use PVC Gloves

ITEM NO:PVW4110

Description: 15 gauge seamless acrylic towel liner full double dip, PVC sandy finished, gauntlet gloves
Length: 27/30/33cm


■ Cold Use Leather Gloves

ITEM NO:PE015

Description: Highest quality cowhide leather, full palm, fleece jersey liner. Rubberized safety cuff gloves
Grade: AB/BC



Anti-CUT GLOVES

Feature:

- Cut Resistant Gloves
- Seamless high cut resistant glove
- palm coated increased resistance to oils and greases
- soft finish provides exceptional cool comfort
- Ventilated back optimises its breathability
- Outstanding properties against cuts

Typically Used For

Ideal for glass handling/sheet metal work, engineering maintenance, refuse collection janitorial applications and agriculture



ITEM NO:DM6081
 Description: 13 gauge
 HPPE+glass fiber mixed
 liner with crinkle latex
 coated on palm cutting
 gloves
 Anti-cut Level:3/5



ITEM NO:DM6082
 Description: 13 gauge
 HPPE+glass fiber mixed
 liner with Nitrile smooth
 finished, coated on palm,
 cutting gloves
 Anti-cut Level:3/5



ITEM NO :DM6083-18
 Description : 18 gauge
 HPPE+glass fiber mixed liner
 with PU coated on palm
 cutting gloves
 Dipping:palm
 Anti-cut level:3/5



ITEM NO :SM6083
 Description : 13 gauge
 Synthetic mix yarn+glass
 fiber mixed liner with PU
 palm coated gloves



ITEM NO:DM6083
 Description: 13 gauge
 HPPE+glass fiber mixed liner
 with PU coated on palm cutting
 gloves
 Anti-cut Level: 3/5



ITEM NO:DM6084
 Description: 13 gauge
 HPPE+glass fiber mixed
 liner with Latex sandy
 finish coated on palm
 cutting gloves
 Anti-cut Level:3/5



ITEM NO:DM6087
 Description: 13 gauge
 HPPE+glass fiber mixed
 liner with nitrile foam
 coated on palm cutting
 gloves
 Anti-cut Level:3/5



ITEM NO:DM6088
 Description: 13 gauge
 HPPE+glass fiber mixed
 liner with nitrile sandy full
 coated cutting gloves
 Anti-cut Level:3/5



ITEM NO:DM6085
 Description: 13 gauge
 HPPE+glass fiber mixed liner
 with Latex sandy finish 3/4
 dipped cutting gloves
 Anti-cut Level:3/5



ITEM NO:DM6086
 Description: 13 gauge
 HPPE+glass fiber mixed
 liner with Latex foam
 coated on palm cutting
 gloves
 Anti-cut Level:3/5



ITEM NO:DM6092
 Description: 13 gauge
 HPPE(high performance
 polyethylene)/Glass
 fiber/Nylon liner with
 sandy Nitrile coated glove
 Anti-cut Level:3/5





ITEM NO:KV608B
 Description: 13 gauge
 Aramid fiber knitted liner
 with smooth nitrile coated
 on palm cutting gloves
 Anti-cut Level:3
 CE   



ITEM NO:DM6091
 Description: 7 gauge
 acrylic terry liner+HPPE
 fiber mixed liner with
 crinkle latex coated ,3/4
 dipped cutting gloves
 Anti-cut Level:3
 CE   



ITEM NO : KV1007
 Description : 7 gauge
 Aramid fiber knitted
 cutting gloves
 Anti-cut level:5
 CE  





ITEM NO:KV6083-S
 Description: 13 gauge
 Aramid+steel fabric with
 pu palm coated cutting
 gloves
 CE  



ITEM NO:DM6090
 Description: 13 gauge
 HPPE+glass fiber mixed
 iner & acrylic terry liner
 with sandy nitrile
 coated,3/4 dipped cutting
 gloves
 Anti-cut Level:3/5
 CE  





ITEM NO :SLK001
 Description : 13 gauge
 Aramid +glass fiber mixed
 knitted cutting sleeve.
 CE  



ITEM NO :KV6083-18
 Description : 18gauge
 Aramid fiber knitted liner
 with PU Palm coated
 cutting gloves
 CE  





ITEM NO :KV6083
 Description : 13 gauge
 Aramid fiber +nylon+ glass
 fiber mixed liner with PU
 plam coated cutting glove
 CE  



ITEM NO :SLS002
 Description : 13 gauge
 Synthetic mix yarn+glass
 fiber mixed knitted cutting
 sleeve
 CE  



ITEM NO :SLD001
 Description : 13 gauge
 HPPE+glass fiber mixed
 knitted cutting sleeve
 CE  



CHEMICAL RESISTANCE SPECIALITY GLOVES

Feature:

- Acid proof, alkali-resisting, oil proof, strong chemical resistance.
- Good flexibility, sensitivity and antistatic performance
- Comfortable to wear it
- Antiallergic, nontoxic, harmless and no smell

Typically Used For

- Chemical industry • oil work • Electroplate • Construction
- Metallurgic • Mine • Machinery • Handing • Flitting • Forestry

■ Sandy Finish PVC



ITEM NO:PV 401

Description:100% interlock/jersey lined double dip PVC sandy finish



ITEM NO:PV 411

Description:100% interlock/jersey lined double dip PVC sandy finish



ITEM NO:PV 415

Description:100% cotton seamless lined, Triple dipped pvc sandy finish



■ Chemical Use Long Sleeve Gloves



ITEM NO:PVJX610

Name:pond gloves
Description:Extended bonded sleeve, elasticated border,
Liner:Interlock/ Jersey
Cuff:35cm pvc gloves+25cm raincoat sleeve
Finish:pvc Smooth finish



ITEM NO:PVJX210

Name:Fishing gloves
Against:fish, oil, cold resistant
Liner:interlock lined/ Jersey Lined



■ Green Nitrile Flocklined



ITEM NO:21131G-MIL

Description:Embossed grip on palm and fingers
13" length
Dipping:Green Nitrile



■ Neoprene gloves



ITEM NO:NP501

Description:Black neoprene coated
Crinkle finish, jersey lined, knit wrist





GENERAL USE PVC COATED GLOVES

Feature:

Acid proof, alkali-resisting, oil proof, Good flexibility, sensitivity and antistatic performance

Typically Used For

- Chemical industry • Construction • Operation on water
- Mine • Machinery • Antigas on agriculture • Fishing

■ Heavy Duty PVC Coated Gloves




ITEM NO:PV 503

Description:Pvc full coated, interlock on back,towel liner on palm, knit wrist gloves



ITEM NO:PV 513

Description:Pvc full coated,interlock on back,towel liner on palm, gauntlet gloves Length:27/30/35cm



■ Smooth PVC



ITEM NO:PV 600

Description:Interlock liner

ITEM NO:PV 601

Description:Jersey liner Knit wrist




ITEM NO:PV 610

Description:Interlock liner

ITEM NO:PV 611

Description:Jersey liner Length:27/30/35/40/45/60cm



ITEM NO:PV201

Description:Black PVC chips coated on palm, interlock liner,knit wrist gloves



ITEM NO:PV201-D

Description:Black PVC chips full coated,interlock liner,knit wrist gloves



■ Rough Black PVC



ITEM NO:PV 510

Description:Black pvc full coated,rough finished, interlock liner, gauntlet gloves Length:27/30/35/40/45cm



■ Fishing Glove



ITEM NO:PV210

Description:Black PVC chips coated on palm, Length:27/30/35/40/45cm

ITEM NO:PV210-D

Description:Black PVC chips full coated Length:27/30/35/40/45cm



• Garden-latex



GARDEN USE GLOVES

Feature:

- Durable lightweight glove
- Elastic and comfortable
- Offers excellent abrasion resistance
- Breathable liner for comfort
- Highly flexible with optimum dexterity.
- Specially for low -temperature environments

Typically Used For

- Gardening• Component Handling •Construction
- auto assembly•Plumbing•Mechanical Work •hardware tools,



ITEM NO:LA508BS

Description:13gauge nylon liner with round crinkle latex coated gloves
Finish:Crinkle
Dipping:open back
Gauge:13g



ITEM NO:LA500B

Description:Colored crinkle latex coated ,white interlock liner,back open,knit wrist
Finish:Crinkle latex



ITEM NO:LA500BC

Description:Colored crinkle latex coated ,colored interlock liner,back open,knit wrist
Finish:Crinkle latex




ITEM NO:LA608BB

Description: 13gauge white bamboo liner with colored latex foam coated on palm and finger gloves
 Finish: Latex foam
 Gauge: 13g


ITEM NO:LA508B

Description: 13gauge colored nylon liner with colored crinkle latex coated on palm and finger gloves
 Finish: Crinkle
 Dipping: palm coated
 Gauge: 13g


ITEM NO:LA608BBC

Description: 13gauge cotton & Lycra liner with colored latex foam coated on palm and finger gloves
 Finish: Latex foam
 Dipping: palm
 Gauge: 13g


ITEM NO:LA5010B

Description: 10 Gauge T/C seamless knitted liner with crinkle latex coated on palm and fingertips gloves
 Liner: 10 Gauge T/C seamless liner
 Dipping: Palm, 3/4
 Finished: crinkle latex
 Cuff: Elastic cuff


■ Gardening Use Nitrile Coated Gloves

ITEM NO:LA608B

Description: 13gauge colored nylon liner with colored latex foam coated on palm and finger gloves
 Finish: Latex foam
 Dipping: palm
 Gauge: 13g/15g/18g


ITEM NO:DQ608B

Description: 13gauge colored nylon liner with colored nitrile coated on palm and finger gloves.
 Finish: Smooth finished
 Dipping: palm
 Gauge: 13g/15g/18g





ITEM NO: DQ608B-3/4

Description: 13gauge colored nylon liner with colored nitrile coated gloves.
 Finish: Smooth finished
 Dipping: 3/4 dipped
 Gauge: 13g/15g/18g



ITEM NO: PU608B

Description: 13gauge colored nylon liner with PU coated on palm and fingers gloves
 Finish: Smooth finished
 Dipping: palm
 Gauge: 13g/15g/18g



ITEM NO: DQ608BP

Description: 13gauge floral nylon liner with colored nitrile coated on palm and fingers gloves
 Finish: transparent nitrile
 Dipping: palm
 Gauge: 13g



ITEM NO: PU608B-U3

Description: 13gauge colored U3 nylon liner with PU coated on palm and fingers gloves
 Finish: Smooth finished
 Dipping: palm
 Gauge: 13g/15g/18g



ITEM NO: DQB608B

Description: 13gauge color nylon liner with colored breathable nitrile foam coated on palm and fingers gloves
 Finish: Breathable nitrile foam
 Dipping: palm
 Gauge: 13g



ITEM NO: PU608BP

Description: 13gauge Floral nylon liner with PU coated on palm and fingers gloves
 Finish: Smooth finished
 Dipping: palm
 Gauge: 13g/15g/18g



CONTACT US



Greenland Manufacturing & Trading Co., Ltd.



11th Floor Building A, Zijing Plaza, No.158
Ping'an North Street, 050010 Shijiazhuang, China.



greenland@greenlandsh.com



0086-311 87767661, 87765661



www.greenlandsh.com



website



wechat